

MULTIMEDIA



UNIVERSITY

STUDENT ID NO

--	--	--	--	--	--	--	--	--	--

MULTIMEDIA UNIVERSITY

FINAL EXAMINATION

TRIMESTER 3, 2016/2017

**EMG2016 – ELECTROMAGNETIC THEORY**  
(BE, RE, TE)

30 MAY 2017  
9.00 a.m – 11.00 a.m  
(2 Hours)

---

**INSTRUCTIONS TO STUDENTS**

1. This question paper consists of 7 pages excluding cover page with 4 questions only.
2. Attempt ALL 4 questions. All questions carry equal marks and the distribution of the marks for each question is given.
3. Please write all your answers in the answer booklet provided.
4. Please tear off and attach your completed Smith Chart in the answer booklet.

**QUESTION 1**

- a) A load of  $100 + j150 \, \Omega$  is connected to a  $75 \, \Omega$  lossless line. Find the following on a Smith Chart:
- i) Reflection coefficient,  $\Gamma$  [4 marks]
  - ii) Standing wave ratio, SWR [2 marks]
  - iii) The load admittance,  $Y_L$  [3 marks]
  - iv) The locations of  $V_{\max}$  and  $V_{\min}$  with respect to the load. [3+3 marks]
  - v)  $Z(d)$  at  $0.4\lambda$  from the load [5 marks]
  - vi)  $Z_{\text{in}}$  at the generator, if the line is  $0.6\lambda$  long [5 marks]

**Continued...**

## QUESTION 2

a) Explain

- i) Faraday's Law
- ii) Ampere's Law
- iii) Lenz Law

[3+3+3 marks]

b) Given a sliding bar shown in Figure 2.1, find the following:

- i) If the sliding bar is fixed to create a square loop with sides of 25cm, and a time varying magnetic field  $\vec{B} = \hat{z}10 \cos 10^3 t$  (T) is applied, find the  $V_{\text{emf}}$  induced. [6 marks]
- ii) If the sliding bar moves at a velocity of  $u = \hat{y}5$  m/s, and a static magnetic field  $\vec{B} = \hat{z}10$  (T) is applied, find the  $V_{\text{emf}}$  induced. [5 marks]
- iii) In part (ii), does the wire other than the sliding bar contribute to the  $V_{\text{emf}}$  induced? Explain. [2 marks]




Figure 2.1

- c) Calculate the displacement current on a parallel plate capacitor with plate area of  $4\text{cm}^2$  and plate separation of  $2\text{mm}$  with a voltage  $10\sin(10^3 t)$  V applied to its plates. Assume  $\epsilon = 2\epsilon_0$

Hint: Displacement current density,  $J_d = \frac{\epsilon}{d} \cdot \frac{\partial V}{\partial t}$

[3 marks]

Continued...

**QUESTION 3**

a) Given an electric field  $\vec{E}^i = \hat{y}10\cos(3 \times 10^8 t - z)$  V/m in air is incident normally on a lossless, nonmagnetic dielectric medium with  $\epsilon = 3\epsilon_0$ . Find the following:

- i) The total electric field in region 1 (air) [7 marks]
- ii) The total electric field in region 2 (dielectric medium) [6 marks]
- iii) The time average power in region 1 [3 marks]
- iv) The time average power in region 2 [3 marks]

b) A sinusoidal electric wave is travelling in negative y direction in a lossless medium of  $\epsilon = 3\epsilon_0$ ,  $\mu = 2\mu_0$ . The wave is polarized in  $\hat{x}$  with maximum amplitude of 10 V/m and frequency of 10 GHz. Find the expression of  $\vec{E}$  [6 marks]

**Continued...**

**QUESTION 4**

- a) A rectangular waveguide has dimensions  $a=1$  cm and  $b=0.5$  cm and is filled with a nonmagnetic medium with relative permittivity  $\epsilon_r = 9$ .

- i) What are the modes that can be propagated if the operating frequency is at 11 GHz?

[8 marks]

- ii) What is the dominant mode? Explain.

[3 marks]

- b) A rectangular air-filled resonant cavity will resonate at 12 GHz in  $TE_{101}$  mode and at 24 GHz in  $TE_{110}$  mode. If given  $a=2b$ , find the dimension of the resonant cavity.

[6 marks]

- c) Describe the propagation of TEM, TE and TM waves.

[6 marks]

- d) Find the propagation mode of the wave below which propagates in an air filled waveguide.

$$E_z = 10 \sin\left(\frac{2\pi}{a}x\right) \sin\left(\frac{\pi}{b}y\right) \cos(20\pi \times 10^9 t - 3z) \text{ V/m}$$

[2 marks]

Hint:

$$f_{c,mn} = \frac{1}{2\sqrt{\mu\epsilon}} \sqrt{\left(\frac{m}{a}\right)^2 + \left(\frac{n}{b}\right)^2}$$

$$f_{r,mnp} = \frac{1}{2\sqrt{\mu\epsilon}} \sqrt{\left(\frac{m}{a}\right)^2 + \left(\frac{n}{b}\right)^2 + \left(\frac{p}{c}\right)^2}$$

Continued...


**Appendix : Physical constants**

Constant	Symbol	Value
Speed of light in vacuum	$c$	$3 \times 10^8 \text{ m/s}$
Permittivity of free space	$\epsilon_0$	$8.8542 \times 10^{-12} \text{ F/m}$
Permeability of free space	$\mu_0$	$1.2567 \times 10^{-6} \text{ N/A}^2$
Intrinsic impedance of free space	$\eta_0$	$377 \Omega$

Continued...

# The Complete Smith Chart


## Black Magic Design



Continued...

# The Complete Smith Chart

## Black Magic Design



End of Paper